

PADDLES, OARS & WATER SKI EQUIPMENT 25

PADDLES

Stand-Up Paddle Board Paddle	25.02
T-Grip Paddles	25.02
Kids Kayak Paddle	25.02
Detachable Paddles	25.02
Telescopic Paddles	25.02 - 25.03

OARS & ACCESSORIES

Aluminium Oars.....	25.03
Rubber Oar Stops	25.03
Rowlocks	25.03
Rowlock Insert Sockets.....	25.03

STRAPS, ROPES & SKI EQUIPMENT

Tie Down Straps	25.04
Ski Ropes	25.04
Ski Bridle	25.04
Rope Floats.....	25.04
Ski Hooks & Rings	25.05
Ski Mirrors	25.05



Stand-Up Paddle Board Adjustable Paddle


This SUP paddle is a great entry level paddle to suit almost everyone. The shaft is made from lightweight aluminium alloy and is fully adjustable.



Part No.	Colour	Length (m)
JPW5612	Black	1.8 - 2.3

Telescopic Paddle With Palm Grip

Round polypropylene palm grip handle and blade with anodised aluminium shaft.



Part No.	Colour	Length (mm)
JPW5616	Black	760 - 1070

T-Grip Paddles

Single blade paddles with an aluminium shaft, tee handle grip and large reinforced polypropylene blade.

- 25mm diameter anodised aluminium shaft.




Part No.	Colour	Shaft	Length	
			(m)	(ft)
JPW5606	Black	Anodised	1.2	4
JPW5608	Yellow	Black EDC Finish	1.2	4

2-Piece Telescopic Paddle and Bag

Suitable for small boats and sailing dinghies, includes a red nylon bag with velcro closure.

- Detachable blade.
- Anodised aluminium shaft.



Part No.	Colour	Length (mm)
JPW5600	Red	450 - 1070

Kids Kayak Paddle - 3 Piece

Black anodised aluminium shaft, with black blades and anti-drip guards. Separates into 3 pieces, and attaches with a locking collar.

- Locking collar has 3 button adjustments to straighten or offset the blades.
- Suits right or left-handed paddlers.




Part No.	Extended Length (m)	Fold Down Length (m)
JPW5602	1.5	0.57

Detachable Paddles

Lightweight, detachable anodised aluminium shaft for easy storage.

- Can be configured to offset or straight blade, simply by adjusting the lock button.
- Paddle includes moulded rubber hand grips and anti-drip guards.




Part No.	Length (m)
JPW5617	2.1
JPW5618	2.4



Telescopic Paddle

Ideal as an emergency paddle, or when space on board is at a premium. Anodised aluminium shaft with bright orange blade and T-handle grip.

- 3-stage twist-lock telescopic paddle.
- Ideal for life rafts.



Part No.	Colour	Length (mm)
JPW5603	Orange	550 - 1070

Aluminium Oars with Stops

Made of anodised aluminum tubing with soft-grip handle, scull blade and rubber oar stops with lugs.

- Easy to use and low maintenance.
- 35mm diameter silver anodised aluminium alloy shaft.
- Soft grip handles, rubber oars stops with lugs.
- Heavy black polypropylene scull blades.
- Sold in pairs.



Part No.	Length	
	(m)	(ft)
JPW5512	1.7	5.5
JPW5513	1.8	6
JPW5514	2.0	6.5
JPW5515	2.1	7

Rubber Oar Stops

Solid rubber oar stops with lugs.

- Sold in pairs.




Part No.	Length (mm)	Inside Dia (mm)
JPW5580	106	43
JPW5590	110	44

Closed Ring Rowlocks

Standard ring-type rowlocks with a hot dipped galvanised finish

- Sold in pairs



Part No.	Shaft Dia. (mm)	Ring Dia (mm)	Length (mm)
JPW5540	12	66	195

Open Rowlocks

Standard open rowlocks with a hot dipped galvanised finish.

- Sold in pairs



Part No.	Shaft Dia. (mm)	Ring Dia (mm)	Length (mm)
JPW5548	10	66	170
JPW5549	11.2	66	170
JPW5550	12	66	170

Nylon 'Y' Rowlocks

Rowlocks made from non-corrosive, black UV-resistant nylon.

- Sold in pairs.



Part No.	Shaft Dia. (mm)	Ring Dia. (mm)	Length (mm)
JPW5557	17.5	50	140

Nylon Rowlock Insert Socket - Top Mount

Top mount socket to suit Nylon 'Y' Rowlocks (JPW5557).

- Made from non-corrosive, black UV resistant nylon.
- Sold in pairs.



Part No.	Shaft I.D (mm)	Cut-out (mm)	Length (mm)	Width (mm)	Depth (mm)
JPW5558	18	24	70	27	45

Nylon Rowlock Insert Socket - Side Mount

Side mount socket to suit Nylon 'Y' Rowlocks (JPW5557).

- Made from non-corrosive, black UV resistant nylon.
- Sold in pairs.



Part No.	Shaft I.D (mm)	Mount Length (mm)	Mount Width (mm)
JPW5559	18	70	25

Tie Down Light Duty - Side Release Buckle



For use as a lightweight restraining strap for roof racks, with a side-release buckle.

- General purpose strap for small articles (surfboards, etc).
- Supplied as a pair.



Part No.	Width (mm)	Length (m)	Lashing Capacity (kg)
JPW6610	25	2.5	50

Tie Downs Medium Duty - Cam Buckle

Easy-to-use metal die-cast cam buckle that's great for any small application as a universal strap.

- Polyester webbing for superior strength and durability.
- Supplied as a pair.



Part No.	Width (mm)	Length (m)	Lashing Capacity (kg)
JPW6587	25	1.2	100
JPW6588	25	2.5	100
JPW6589	25	3.5	100

Tie Down Medium Duty - Cam Buckle



These medium weight roof rack straps are made from polyester webbing for superior durability and are excellent for just about any use.

- Die-cast alloy medium duty buckle.
- Supplied as a pair.



Part No.	Width (mm)	Length (m)	Lashing Capacity (kg)
JPW6612	25	3.5	75

Tie Down Medium Duty - Stainless Steel Cam Buckle



Stainless steel cam buckle that's excellent for use on a roof rack or for just about any tie-down application.

- Made from polyester webbing for superior durability.
- Added webbing pad underneath the stainless steel buckle.
- Supplied as a pair.



Part No.	Width (mm)	Length (m)	Lashing Capacity (kg)
JPW6616	25	3.5	75

Ski Ropes - Single or Deluxe Handle

Quality-made with strong multi-coloured floating rope, with cushioned aluminium core easy grip handle.

- Fully assembled ski lines.



JPW11703



JPW11702

Part No.	Handle Type	Dia (mm)	Length (m)
JPW11702	Single	8	22
JPW11703	Deluxe	8	22

Deluxe Outboard Ski Bridle

This deluxe tow harness is perfect for pulling skiers, wake boarders and up to three-rider towables. Simply clip it onto your boat and attach your ski or tube rope to the heavy-duty Kwik-Connect.

- Long bridle rope and float keeps the Kwik-Connect on top of the water, away from your propeller.



Part No.	Rope Length (m)	Float Size (mm)
JPW11731	3.6	150

Ski Rope Floats

White/red moulded plastic floats with rope hole through the centre.

- Use for ski line floats, marker buoys, etc.



Part No.	Rope Hole Dia (mm)	Length (mm)
JPW11721	70	127
JPW11722	70	95

Ski Hook - Transom Mount

Chrome cast bronze base.

- Stainless steel hook and mount bolt.
- Keeper retains ski rope when slack.
- Comes complete with washer and nyloc nut.



Part No.	Length (mm)	Thread (mm)	Diameter (mm)
JPW11710	125	55	10

Heavy Duty Ski Tow Ring

316 marine-grade polished stainless steel, can be mounted to the transom or pole, and easily hook on/off different ski ropes and equipment.

- 2 x 12mm nuts and washers required (not supplied).
- Anti-snag ring.
- Protrusion from transom: 30mm.



Part No.	Ring Dia (mm)	Hull Thickness (mm)
JPW11712	85	10 - 105

Chrome Ski Mirror

Shatter-proof highly chromed alloy with polished convex lens.

- Universal adjustable dash and windscreen mounting brackets included.
- Adjustable multi-position locking mechanism.



Part No.	Dimensions L x W (mm)
JPW11740	186 x 83

Ski Mirror - Wide View

Wide panoramic view with minimal distortion, mount to dash or windshield up to 25mm (1") thick.

- Moulded plastic textured frame with wide angle convex glass lens.
- Universal adjustable multi position locking dash mechanism.
- Tinted mirror with textured mould backing.
- Required space for mounting bracket: 70 x 24mm



Part No.	Dimensions L x W (mm)
JPW11741	300 x 100

